

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Note:							
Westport River							
*Use only with local knowledge.							
17550	- Buoy 1					Green can.	Private aid.
	*					*	* 13/02
*17550.2	- Buoy 3					Green can.	private aid.
							13/02
*17550.3	- Buoy 4					Red nun.	Private aid.
							13/02
*17550.5	- Buoy 6					Red nun.	Private aid.
							13/02
*17550.6	- Buoy 7					Green can.	Private aid.
							13/02
*17550.7	- Buoy 8					Red nun.	Private aid.
							13/02
*17550.8	- Buoy 9					Green can.	Private aid.
							13/02
*17551	- Buoy 11					Green can.	Private aid.
							13/02
*17551.1	- Buoy 12					Red nun.	Private aid.
							13/02
*17551.2	- Buoy 34					Red nun.	Private aid.
							13/02
*17551.3	- Buoy 35					Green can.	Private aid.
							13/02
*17551.5	- Buoy 38					Red nun.	Private aid.
							13/02
*17551.6	- Buoy 39					Green can.	Private aid.
							13/02
*17551.9	- Buoy 42					Red nun.	Private aid.
							13/02
*17552.1	- Buoy 44					Red nun.	Private aid.
							13/02
*17552.2	- Buoy 45					Green can.	Private aid.
							13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17552.3	- Buoy 46				Red nun.	Private aid.	13/02
*17552.5	- Buoy 48				Red nun.	Private aid.	13/02
*17552.6	- Buoy 49				Green can.	Private aid.	13/02
*17552.7	- Buoy 50				Green can.	Private aid.	13/02
*17552.9	- Buoy 52				Red nun.	Private aid.	13/02
*17553	- Buoy 53				Green can.	Private aid.	13/02
*17553.1	- Buoy 54				Red nun.	Private aid.	13/02
*17553.2	- Buoy 55				Green can.	Private aid.	13/02
*17553.3	- Buoy 56				Red nun.	Private aid.	13/02
*17553.4	- Buoy 58				Red nun.	Private aid.	13/02
*17553.5	- Buoy 59				Green can.	Private aid.	13/02
*17553.6	- Buoy 61				Green can.	Private aid.	13/02
*17553.7	- Buoy 64				Red nun.	Private aid.	13/02
*17553.8	- Buoy 65				Green can.	Private aid.	13/02
*17553.9	- Buoy 67				Green can.	Private aid.	13/02
*17554	- Buoy 69				Green can.	Private aid.	13/02
*17554.1	- Buoy 71				Green can.	Private aid.	13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17554.2	- Buoy 73					Green can.	Private aid. 13/02
*17554.3	- Buoy 75					Green can.	Private aid. 13/02
*17554.4	- Buoy 77					Green can.	Private aid. 13/02
*17554.5	- Buoy 78					Red nun.	Private aid. 13/02
*17554.6	- Buoy 80					Red nun.	Private aid. 13/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
245	Ocean City Wreck Buoy WR2						<i>Remove from list.</i> * 13/02
*1292	- Buoy 10					Red nun.	Private aid. 13/02
*1293	- Buoy 12					Red nun.	Private aid. 13/02
7135	- <i>Lighted Buoy 19</i> 75 feet outside channel limit.		FI G 4s		4	Green.	 * 13/02
7185	- <i>Lighted Buoy 31</i> 75 feet outside channel limit.		FI G 4s		4	Green.	 * 13/02
12355	- <i>Channel Lighted Buoy 82</i> 90 feet outside channel limit.	37 18 17 N 77 04 50 W	FI R 4s		4	Red.	 * 13/02
	Jackson Creek						
14700	- LIGHT 1	37 32 42 N 76 19 19 W	FI G 4s	15	4	SG on pile.	 * 13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Mill Creek							
15075	- ENTRANCE LIGHT 2		FI R 4s	15	4	TR on pile.	
				*	*	*	13/02
15150	- EASTERN BRANCH LIGHT 1		FI G 4s	15	4	SG on pile.	
				*		*	13/02
19300	- LIGHT 2		FI R 4s	15	4	TR on pile.	
				*	*		13/02
19305	- LIGHT 3		FI G 6s	15	4	SG on pile.	
				*			13/02
19955	- LIGHT 4		FI R 2.5s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
					*		13/02
20885	- Channel Lighted Buoy 4		FI R 6s		4	Red.	
					*		13/02
20905	- Channel Lighted Buoy 8		Q R		4	Red.	
					*		13/02
20915	- Channel Lighted Buoy 10		FI R 4s		4	Red.	
					*		13/02
23200	- LIGHT 1		FI G 4s	15	4	SG on multi-pile structure.	HORN: 1 blast ev 30s (3s bl). Baffled 341° to 064°. Operates continuously from Sept. 15 to June 1.
						*	13/02
23205	- LIGHT 2		FI R 6s	15	4	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
				*	*	*	13/02
23220	- LIGHT 4		FI R 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			13/02
23235	- LIGHT 9		FI G 2.5s	15	3	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			13/02
23260	- LIGHT 15		FI G 4s	15	3	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
				*		*	13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Tangier Sound							
23270	- Lighted Buoy 8	37 51 55 N 75 55 47 W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
		*					13/02
Big Annemessex River							
23280	- LIGHT 1		FI G 2.5s	18	4	SG on multi-pile structure.	
						*	* 13/02
Daugherty Creek							
23360	- LIGHT 1	38 03 09 N 75 52 09 W	FI W 4s	19	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	13/02
23365	- CHANNEL LIGHT 3		FI G 4s	15	4	SG on pile.	
						*	13/02
Manokin River							
23375	- Junction Lighted Buoy MR	38 02 14 N 75 55 26 W	FI (2+1) R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
		*					13/02
23380	- CHANNEL LIGHT 2	38 04 11 N 75 53 20 W	FI R 2.5s	18	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					13/02
23385	MINE CREEK ENTRANCE LIGHT 2	38 05 00 N 75 52 22 W	FI R 4s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					13/02
23390	- LIGHT 4		Q R	15	4	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	13/02
Goose Creek Channel							
23395	- ENTRANCE LIGHT 1	38 05 41 N 75 52 19 W	FI G 2.5s	19	3	SG on multi-pile structure.	
		*				*	* 13/02
St. Peters Creek							
23435	- ENTRANCE LIGHT 1	38 08 28 N 75 49 54 W	FI G 4s	15	5	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	13/02
23445	- LIGHT 3	38 08 51 N 75 49 06 W	Q G	19	3	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Kedges Straits							
23460	FOG POINT LIGHT 30 yards west of obstruction.	38 02 12 N 76 02 35 W	Q W	15	5	NB on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	13/02
23465	- Buoy 2	38 03 12 N 76 03 21 W				Red nun.	
		*					13/02
Lower Thorofare							
23495	- CHANNEL LIGHT 2		FI R 4s	15	4	TR on multi-pile structure.	HORN: 1 blast ev 30s (3s bl). Operates continuously from Sept. 15 to June 1.
				*		*	* 13/02
23500	- CHANNEL LIGHT 4		Q R	16	4	TR on multi-pile structure.	
						*	13/02
Upper Thorofare							
23550	HAINES POINT LIGHT	38 10 19 N 75 57 52 W	FI W 4s	14	5	NR on multi-pile structure.	
		*				*	* 13/02
23560	- CHANNEL LIGHT 1		FI G 2.5s	15	3	SG on multi-pile structure.	
						*	13/02
23565	- CHANNEL LIGHT 4	38 10 12 N 75 57 00 W	FI R 6s	19	4	TR on multi-pile structure.	
		*				*	13/02
23605	OKAHANIKAN POINT LIGHT	38 11 42 N 76 05 35 W	FI Y 6s	25	5	On concrete pile.	
		*		*			13/02
23700	GREAT SHOALS LIGHT	38 12 52 N 75 52 46 W	FI W 6s	37	8	NB on white skeleton tower on piles.	BELL: 1 stroke ev 15s. Operates continuously from Sept. 15 to June 1.
		*					13/02
23750	- CHANNEL LIGHT 10		FI R 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*	*		13/02
23760	- CHANNEL LIGHT 12		FI R 2.5s	15	3	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
				*		*	13/02
23767	- CHANNEL LIGHT 14		FI R 4s	15	3	TR on multi-pile structure.	
				*		*	* 13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23780	- CHANNEL LIGHT 16		FI R 4s	19	3	TR on multi-pile structure.	
						*	* 13/02
23785	- CHANNEL LIGHT 17		FI G 4s	15	4	SG on multi-pile structure.	
						*	* 13/02
Webster Cove							
23795	- Channel Buoy 1	38 15 06 N 75 50 05 W				Green can.	
		*					13/02
23800	- CHANNEL LIGHT 3		FI G 2.5s	15	4	SG on multi-pile structure.	Higher intensity beam down channel.
						*	* 13/02
23820	- CHANNEL LIGHT 23		FI G 4s	15	4	SG on multi-pile structure.	Ra ref.
						*	13/02
23830	- CHANNEL LIGHT 25		FI G 2.5s	15	3	SG on multi-pile structure.	Ra ref.
						*	13/02
23835	- CHANNEL LIGHT 26		FI R 4s	19	3	TR on multi-pile structure.	
						*	* 13/02
23840	- CHANNEL LIGHT 27	38 16 00 N 75 47 46 W	FI G 2.5s	15	3	SG on multi-pile structure.	
		*			*	*	* 13/02
23845	- CHANNEL LIGHT 28		FI R 6s	15	4	TR on multi-pile structure.	
						*	* 13/02
23850	- CHANNEL LIGHT 29		FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	13/02
23880	- CHANNEL LIGHT 32	38 18 19 N 75 45 44 W	FI R 2.5s	15	3	TR on multi-pile structure.	Light equipment removed when endangered by ice.
		*				*	13/02
23890	- CHANNEL LIGHT 35		FI G 2.5s	15	3	SG on multi-pile structure.	
				*		*	* 13/02
23895	- CHANNEL LIGHT 37		FI G 4s	15	4	SG on multi-pile structure.	
						*	* 13/02
23900	- CHANNEL LIGHT 38	38 19 48 N 75 44 07 W	FI R 4s	15	4	TR on multi-pile structure.	
		*				*	* 13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23905	- CHANNEL LIGHT 39	38 20 24 N 75 42 47 W	FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed when endangered by ice.
		*			*	*	13/02
23910	- Channel Daybeacon 41					SG on multi-pile structure.	
						*	13/02
23915	- CHANNEL LIGHT 43	38 20 25 N 75 41 59 W	FI G 2.5s	15	3	SG on multi-pile structure.	Light equipment removed when endangered by ice.
		*				*	13/02
23920	- CHANNEL LIGHT 45	38 20 23 N 75 40 12 W	FI G 4s	15	3	SG on multi-pile structure.	
		*			*	*	* 13/02
23930	- CHANNEL LIGHT 47	38 20 27 N 75 39 19 W	FI G 2.5s	15	3	SG on multi-pile structure.	
		*				*	* 13/02
23945	- CHANNEL LIGHT 51		FI G 2.5s	18	3	SG on multi-pile structure.	
						*	* 13/02
24420	McCREADY'S CREEK LIGHT 1	38 18 00 N 76 00 21 W	FI G 4s	15	4	SG on pile.	
					*	*	13/02
25125	- LIGHT 31	38 34 42 N 76 01 32 W	FI G 4s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			13/02
*31931	- Buoy 6A					Red nun.	
							13/02
31935	- Lighted Buoy 8	35 52 01 N 75 42 40 W	FI R 4s		4	Red.	
	*	*		*		*	* 13/02
32020	- CHANNEL LIGHT 7		FI G 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
			*		*		13/02
32375	ROYAL SHOAL LIGHT 5RS	35 09 17 N 76 09 35 W	Q G	15	4	SG on multi-pile structure.	Ra ref.
					*		13/02
38400	- RANGE FRONT LIGHT	34 46 21 N 76 41 08 W	Q W	16		KRW on small red house on multi-pile structure.	Visible all around; higher intensity on rangeline.
	*	*				*	13/02
*38407	- LIGHT 24		Q W	16	5	TR-TY on same structure as Core Creek Range Front Light.	
							13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*21615	- Channel Daybeacon 6				TR on pile.		13/02
31870	Punta Colchones Cut Buoy 7						Remove from list. * 13/02
31875	Punta Colchones Cut Buoy 8						Remove from list. * 13/02
*52155.5	- Denaud Daybeacon 2				TR on pile.		13/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER TO GALVESTON (Chart 11340)							
635 16515	Belle Pass Entrance Lighted Bell Buoy 2	29 04 16 N 90 13 39 W	Q R		3 Red.		13/02
		*					
16515 635	- Entrance Lighted Bell Buoy 2	29 04 16 N 90 13 39 W	Q R		3 Red.		13/02
		*					
16530	- Entrance Lighted Buoy 1		Q G		4 Green.		13/02
	*		*		*	*	
16535	- Entrance Buoy 4						Remove from list. * 13/02
16540	- WEST JETTY LIGHT 3	29 04 46 N 90 13 46 W	FI G 2.5s	22	10 SG on pile.		Ra ref. 13/02
	*	*					
16545	- EAST JETTY LIGHT 4	29 04 44 N 90 13 32 W	FI R 2.5s	18	5 TR on pile.		Ra ref. 13/02
	*	*					
16550	- ENTRANCE LIGHT 6	29 05 04 N 90 13 31 W	FI R 4s	17	3 TR on pile.		Ra ref. 13/02
	*	*					
16555	- ENTRANCE LIGHT 8	29 05 28 N 90 13 27 W	FI R 6s	17	4 TR on pile.		Ra ref. 13/02
	*						
*29112	Scipio Creek Junction Buoy A				Green can with top green bands.		13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
375	San Francisco Northern Traffic Lane Lighted Bell Buoy N	37 48 02 N 122 47 55 W	FI Y 4s		7	Yellow.	
		*					13/02
	Westport						
10475	- DIKE LIGHT 58	46 08 48 N 123 22 48 W	FI R 2.5	15	4	TR on dolphin.	Higher intensity beam up and down channel.
		*	*				13/02
	*Delete Headings: *PUGET SOUND - Seattle to Olympia (Chart 18448) *Puget Sound						
16831	Blakely Harbor Aquaculture Pen Light A						Remove from list.
							* 13/02
	*Add Headings: *PUGET SOUND - Seattle to Olympia (Chart 18448) *Puget Sound						
16835	Decatur Reef Lighted Buoy 2	47 34 56 N 122 28 34 W	FI R 6s		4	Red.	Ra ref.
							13/02
18060	BEANS POINT FISH PEN LIGHTS (2)						Remove from list.
							* 13/02
18410	CARLYON BEACH LIGHT						Remove from list.
							* 13/02
	Fisherman Bay						
19560	- SECTOR LIGHT	48 31 29 N 122 55 09 W	FI W 4s (R sector)	15	5	NR on pile structure.	Red from 150° to 076°.
		*					* 13/02
19760	NORTH ROCHE HARBOR DOCK LIGHT						Remove from list.
							* 13/02
19860	Clements Reef Danger Buoy	48 45 46 N 122 52 07 W				White with orange bands; nun, and orange diamond worded DANGER REEF.	
						*	13/02
23460 1025	CAPE OMMANEY LIGHT	56 09 36 N 134 39 40 W	FI W 6s	195	8	NR on monopile.	Obscured from 117° to 251°.
		*		*			13/02
29150	- Lighted Buoy 1	21 17 16 N 157 51 45 W	FI G 2.5s		5	Green.	
		*					13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29155	- Lighted Buoy 2	21 17 15 N 157 51 44 W	FI R 4s		5	Red.	

*

13/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.